
PEARCE SERIES 2000 DRIVE THRU SIGNS.

THE PEARCE SERIES 2000 POP,MENU AND DIRECTIONAL SIGN.

SIGN INDICATED No 1 ON ARCHITECTS DRAWINGS..



0166/98

Black aluminium signcase with red coachline.

Yellow moulded acrylic arch 335mm high,approx.

Aluminium panel stove enamelled red.

Standard mullion.

Moulded yellow acrylic panel with text in black..

Moulded acrylic panel with yellow and black arrow,red background.

Single sided internally illuminated signcase,665 x 1255mm.The door is lockable and fitted with hinges for easy access and cleaning. It is designed to accommodate a yellow moulded acrylic arch symbol on a red aluminium panel,and a yellow acrylic bottom panel for optional message text in black.

Unit supplied complete with post for fitting to prepared 600 deep x 500 sq concrete foundation by others.



INDICATE L/R HAND ARROW.


REFER TO ARCHITECTS DRAWINGS FOR LOCATION OF THE SIGNS
PEARCE SIGNS REFERENCE NUMBER.....2:01

QUANTITY REQUIRED..... ☐

PEARCE SERIES 2000 DRIVE THRU SIGNS.

DRIVE THRU HEIGHT RESTRICTOR

SIGN INDICATED No 3 ON ARCHITECTS DRAWINGS




REFER TO ARCHTECTS DRAWINGS FOR LOCATION OF THE SIGNS
A.E.P STEEL FABRICATIONS LIMITED...../001

QUANTITY REQUIRED..... ☐

PEARCE SERIES 2000 DRIVE THRU SIGNS.

THE PEARCE SERIES 2000
MAXI TRIPLE TRANSLIGHT

SIGN INDICATED No 5 ON ARCHITECTS DRAWINGS



Black aluminium signcase with red coachline.

0166/98

Standard mullion.

Single sided internally illuminated signcase, 620 x 2040mm. The door is lockable and fitted with hinges for easy access and cleaning. It is designed to accomodate a A bow fronted door with 3 windows, for the display of standard 550 x 550 illuminated translights.

Unit supplied complete with post for fitting to prepared 600 deep x 500 sq concrete foundation by others.

REFER TO ARCHTECTS DRAWINGS FOR LOCATION OF THE SIGNS
PEARCE SIGNS REFERENCE NUMBER.....2:10

QUANTITY REQUIRED..... ☐


PEARCE SERIES 2000 DRIVE THRU SIGNS.

MOT STYLE GRILL ORDER BAY SIGNS.
MOTHER AND BABY SIGNS.

SIGN INDICATED No 12 ON ARCHITECTS DRAWINGS
GRILL SPACE
SIGN INDICATED No 13 ON ARCHITECTS DRAWINGS.
MOTHER AND CHILD SPACE.

SIGNS ARE NON ILLUMINATED AND ARE TO BE FIXED INTO CONCRETE BASE PREPARED BY MAIN GROUNDWORKS CONTRACTOR.

Ref: 0166/98



REFER TO ARCHITECTS DRAWINGS FOR LOCATION OF THE SIGNS
PEARCE SIGNS REFERENCE NUMBER.....01–21

QUANTITY REQUIRED..... ☐ SIGN 12

QUANTITY REQUIRED..... ☐ SIGN 13


PEARCE SERIES 2000 DRIVE THRU SIGNS.

THE PEARCE SERIES 2000
MENU SIGN

SIGN INDICATED No 6 ON ARCHITECTS DRAWINGS

DETERMINED
PLAN

0166/98



Black aluminium signcase with red coachline.

Single sided internally illuminated signcase,665 x 1255mm.The door is lockable and fitted with hinges for easy access and cleaning.

Interior fitted with standard aluminium menu grids and price cartridges.

Unit supplied complete with post for fitting to prepared 600 deep x 500 sq concrete foundation by others.

REFER TO ARCHTECTS DRAWINGS FOR LOCATION OF THE SIGNS
PEARCE SIGNS REFERENCE NUMBER.....2:02

QUANTITY REQUIRED..... ☐


PEARCE SERIES 2000 DRIVE THRU SIGNS.

THE PEARCE SERIES 2000 DIRECTIONAL / A1 POSTER SIGN.

SIGN INDICATED No 9 ON ARCHITECTS DRAWINGS

DETERMINED PLAN

0166/18



Black aluminium signcase with red coachline.

Moulded acrylic panel with yellow and black arrow,red background.

Standard mullion.

594 X 840mm A1 Printed paper poster.

Single sided internally illuminated signcase,665 x 1255mm.The door is lockable and fitted with hinges for easy access and cleaning. It is designed to accomodate a moulded directional sign panel at the top,and a standard (A1) 594 X 840mm printed paper poster.

Unit supplied complete with post for fitting to prepared 600 deep x 500 sq concrete foundation by others.

INDICATE L/R HAND ARROW.



REFER TO ARCHTECTS DRAWINGS FOR LOCATION OF THE SIGNS
PEARCE SIGNS REFERENCE NUMBER.....2:05

QUANTITY REQUIRED..... ☐

70-50 McDonalds internally illuminated Sky Sign on 7m pole.

ASH TREE LANE (PUBLIC FOOTPATH)

A151

33
32
36
22
21
47
1
7
6

PARKING EXIT

Drive Thru loop

Height Resrictor gallows type with the words DRIVE THRU & CLEARANCE 2..7m (8'10"). Type No.3

2No. Menu Boards Type No.6

2 no Pop Signs Type No.5

REFUSE AREA

F1

RESTAURANT
B75

F1
Roof mounted 'Futures' sign. White letters with the words McDonald's Restaurant + golden arch and (see elevation drawing). Type No.15

PARKING EXIT

DRIVE THRU

Drive Thru sign with directional arrow right Type No.9

3No. non-illuminated 450 x 300mm signs on 1100mm high posts "GRILL ORDER PARKING ONLY. Reverse side blank. Type no.12

DRIVE THRU EXIT & PARKING

Welcome Sign with Opening Hours-Signage 2000 Type No.1

McDonald's TM

McDonald's Development Site:

Landscape indicative only
Site Area: 0.71Acres
Total car parking spaces: 47
(inc. 2 disabled & 3 grill bays)

AMENDMENTS

REF.	DATE	DESCRIPTION

SCP
HCL
16 FEB 1998
Ref: 0146/98

DOWNWARD SULLIVAN PARTNERS
ARCHITECTS DESIGNERS
87 Caroline Street
Birmingham B3 1UP
Tel 0121 212 0411 Fax 0121 212 0414
DSP

PROJECT
McDonald's Restaurants Ltd Spalding

TITLE
Signage

DATE	DRAWN
5/2/98	MJF CAD
SCALE	DRG.No.
1:200	97.106.04