existing foul water pumping station with brickwork boundary wall

For full details of sub station refer to GTC-E-SS-0012 RI-6

Zone around sub station to be finished with wood chippings. Ground to be graded down from site boundary to existing levels at a gradient of 1 in 6.

Blacktop surfacing to Lincs CC vehicular crossover specification (refer to drwg no. E1081/116 clause 1.6 (A))

Wavin universal inspection chamber

Wavin universal inspection chamber

Wavin Tegra 600 chamber, cover level 2.90

Tactile paving to Lincs CC spec.

Tactile paving to Lincs CC spec.

Tactile paving to Lincs CC spec.

Aco Road Drain 100 with sump unit and 1000 roddable foul air trap or similar. Load Class D 400

Heavy Duty Vehicular Crossing to Lincs CC spec. cl.1.6(B) with agreed crossfall of 1 in 20

Sub Station SL 3.05

PUMP

fall

1/20

R=3

R=3

F58

F57

F40

F39

T8A

T6A

S65A

T9A

S66

S67

IL 1.500m BE
300Ø CONNEC

ROAD 11

Rev. No.	REVISION	Date	Drawn By	Checked By
A	TACTILE PAVING ADDED.	21.2.12	SJP	AJMB
B	FENCING TO SUB STATION REMOVED, NOTES REVISED.	9.3.12	AJMB	AJMB

Written dimensions to be taken. Do not scale off the drawing.

Any discrepencies, written or scaled, should be brought to the attention of the engineer immediately.

This drawing to be read in conjunction with the relevent Bills of Quantities and Local Authority Specification.

CDM NOTE: The design has been undertaken as far as possible to avoid risks to health and safety or to reduce and control the effects of any unavoidable risks.

All relevent information identifying the unavoidable risks has been passed to the planning supervisor for inclusion in the Health & Safety plan.

The Health & Safety plan will be issued by the planning supervisor with these drawings.

WORMALD, BURROWS PARTNERSHIP

Civil Engineering Consultants
12a & 14a Hitchin Street, Tel 01767 317244
Biggleswade, Beds SG18 8AX, U.K. Fax 315434

Project

Proposed Development at Wygate Park, Spalding, Lincolnshire.

Drawing Description

Substation Number 2 Layout Plan

Client

Kier Residential Ltd.

Drawing Number

E1081/170/B

Drawn By

SJP

Date 7.2.12

Scale

1:200

Checked By

AJMB

Date 8.2.12

Architect

Core Architects

REGISTERED COMPANY ISO 9001:1994 CERT NO.99 022