FIRE PRECAUTIONS

- EMERGENCY LIGHTING DESIGN OF SYSTEM TO BE BY ELECTRICAL CONTRACTOR & COMPLY TO BS 5266 PT 1 1999 EMERGENCY LIGHTING TO ILLUMINATE ESCAPE ROUTES, FIRE SIGNAGE FIRE FIGHTING EQUIPMENT.
- FIRE ALARM ROTARY HAND BOLT
- (SD) HEAD DETECTORS DESIGN OF SYSTEM TO BE BY ELECTRICAL CONTRACTOR & TO COMPLY TO BS 5839 PT 1
- 50 E GRAPHIC FIRE EXIT SIGNAGE HEIGHT OF SYMBOLS IN MM
- N1 GENERAL FIRE PRECAUTION NOTICE.
- W 9 WARE FIRE EXTINGUISHER SIZE IN LITRES. ALSO PROVIDE NOTICE INDICATING USAGE OF EXTINGUISHER & SIGN TO HIGHLIGHT LOCATION OF EXTINGUISHER
  FIRE EXTINGUISHER PROVISION TO BE REASSESSED UPON OCCUPATION OF BUILDING.

Contractor To Check All Dimensions On Site Before Work Commences.


Rev.	Date.	Init.	Revision Details.
A			
B	15.2.06	AB	UPDATE ELEVATIONS.
C	17.4.06	AB	ADD FRONT COLOURS.

PODDINGTONS
Architectural Design Consultants
Unit 7, The Flaxmill, Flaxmill Lane, Pinchbeck, Spalding, Lincs. PE11 3XQ.
Tel: 01775 720866 Fax: 01775 720877

Project.
PITE PROPERTIES LTD
1A, RED LION STREET, SPALDING.
PROPOSED SHOP FRONT

Drawing.
PLAN / ELEVATIONS EXISTING & PROPOSED


Scale.	Drawing. No.
AS SHOWN	3233-1
Drawn. R Bear	
Date. AUG 2005	Rev. A B C




ELEVATION EXISTING 1-50




ELEVATION PROPOSED 1-50




FIRST FLOOR PLAN PROPOSED 1-50



GROUND FLOOR PLAN EXISTING 1-50



GROUND FLOOR PLAN PROPOSED 1-50



FIRST FLOOR PLAN EXISTING 1-50