


Side Elevation (Existing)

0 2 4 6m


Scale Bar 1/100




Rear Elevation (Existing)




Side Elevation (Existing)




Side Elevation (Proposed)



Rear Elevation (Proposed)




Side Elevation (Proposed)




Critical locations in internal & external walls to proposed extensions only nts

shaded areas show critical locations to which Approved Document K applies (i.e. glazing in areas numbered 2,4,5,6,7,8,11)



Floor Insulation above ground floor support slab nts

The above floor construction also applies if a water underfloor heating system is to be used i.e. pipework secured to insulation within floor screed Should an electrical underfloor heating system be used the above floor construction must be confirmed with the insulation manf



Section X - X

Scale 1/50

REVISIONS		BY	DATE
DRAWN	MJW	DATE	1/6/26
SCALE	1/100 1/50	CHECKED	

CLIENT

Mr & Mrs W. Warburton
1 Mariette Way
Spalding
Lincs
PE11 1DT

PROJECT

Proposed remove existing conservatory and replace with single storey rear extension to existing dwelling

DETAILS

Existing / Proposed Elevations / Section through

Malcolm Watson
Architectural - Detailing Services
Residential - Commercial - Industrial - Agricultural
Planning & Building Regulations submissions

13 Wimbersley Way, Pinchbeck, Spalding, Lincs. PE11 3RY.
Tel / Fax : 01775 767650
email : mjw.13@btinternet.com

partner LABC

DRWG No. 708/2/2026

A2