

Ref: 799/98

CORPORATE LOGO STYLE 1

TEXT 1      BURTON      INDIVIDUAL LETTERS CUT FROM 15mm IN THICKNESS ACRYLIC SHEET.


LETTERS MOUNTED 15mm CLEAR OF ALUMINIUM FASCIA BY MEANS OF SPACERS. LETTERS AND SPACERS TO BE COLOURED BURTON GOLD.

TEXT 2 MENSWEAR TO BE FORMED FROM VINYL REF: 100-10 WHITE BY 3m

BORDER TO BE 3mm ACRYLIC COLOURED BURTON GOLD WITH MITRED CORNER JUNCTION. DIMS 8mm x 3mm MOUNTED FLAT TO FASCIA.

NOTE WHEN DEPTH OF EXISTING FASCIA IS GREATER THAN 1200mm AND LESS THAN 1300mm REDUCE NEW FASCIA TO ACHIEVE MINIMUM 100mm GAP BETWEEN NEW AND OLD FASCIA.

MAIN FASCIA FORMED FROM 16 SWS ALUMINIUM STOVE ENAMELLED  
BURTON BURGUNDY.



SIGNAGE NOTES: HIGH STREET LOCATION - OPTION 1

SECTION THRU' FASCIA SIGNAGE

|                                                     |  |                                                                   |  |                                                                                |  |                                                                   |  |                                                                  |  |                          |  |                          |  |                      |  |
|-----------------------------------------------------|--|-------------------------------------------------------------------|--|--------------------------------------------------------------------------------|--|-------------------------------------------------------------------|--|------------------------------------------------------------------|--|--------------------------|--|--------------------------|--|----------------------|--|
| PLEASE NOTE<br>THIS DRAWING SHOULD<br>NOT BE SCALED |  | REVISION<br>A      NOTES UPDATED, LIGHT FITTING SETTING OUT ADDED |  | CAD REFERENCE<br>(DESIGN, BRODETAILS-DESPEC) SIGNAGE<br>SAVED WINDOW<br>S16003 |  | BURTON GROUP<br>DESIGN & DEVELOPMENT<br><b>BURTON</b><br>MENSWEAR |  | SECTION TITLE<br>SIGNAGE<br>DRAWING TITLE<br>TYPICAL FASCIA SIGN |  | SECTION No.<br><b>08</b> |  | DRAWING No.<br><b>03</b> |  | REVISION<br><b>A</b> |  |
|-----------------------------------------------------|--|-------------------------------------------------------------------|--|--------------------------------------------------------------------------------|--|-------------------------------------------------------------------|--|------------------------------------------------------------------|--|--------------------------|--|--------------------------|--|----------------------|--|

BUS STOP STYLE  
SIGN SUPPLIED  
BY OLDHAM SIGNS

FITTINGS SUPPLIED  
WITH 15M  
MAINS LEAD  
Ø.75mm<sup>2</sup> THREE CORE

SECURING SCREWS M6 CAP HEAD SOCKET  
MACHINE SCREWS STAINLESS STEEL  
SUPPLIED BY OLDHAM SIGNS


A 298

20W 12V TUNGSTEN HALOGEN  
LAMP GY6.35 BASE

TWO STAINLESS STEEL  
SOCKET HEAD SCREWS

DOTTED LINE INDICATES  
LIGHT CUT OFF  
ALTHOUGH THIS WILL  
BE A SMOOTH CUT-OFF  
DUE TO THE TEXTURED  
REFLECTOR

VIEW ILLUSTRATING THE REMOVAL  
OF THE PROTECTIVE COVER TO  
CHANGE THE LAMP  
NOTE: COVER RETENTION WIRE



VIEW "A"

WEIGHT 1kg NOM

DEFERRED  
PLAN

SOUTH HOLLAND DC  
HOUSING & PLANNING  
10 AUG 1998  
Ref: 799/98

**microlights**  
Elcot Lane, Marlborough, Wiltshire SN8 2BG. Tel: 0672 515611 Fax: 0672 513816

SIGN LIGHT

Title: 300mm VERSION

|                   |                    |               |     |
|-------------------|--------------------|---------------|-----|
| Client:           | BURTONS            | Project:      |     |
| Scale:            | Date: 14-3-95      | Dn: J-M       |     |
| FastCad:          | Material:          | VARIOUS       |     |
| Autocad:          | Finish:            | 5050 R MA     |     |
| Revisions:        | General Tolerance: | NA            |     |
| A 15.3.95 JMB/BAK | Part               | DrGSP/1172/GA | No: |
| B 20.3.95 JMB/BAK |                    |               |     |
| C                 |                    |               |     |

DIMENSIONS IN MM

DO NOT SCALE

CABLE CLAMP

602


TWO STAINLESS STEEL M6 SOCKET HEAD SCREWS  
USED TO SECURE FITTING TO MOUNTING PLATE

106

67

CON MAINS  
LEAD 2M

LETTERING



TWO STAINLESS STEEL  
SOCKET HEAD SCREWS

20W 12V TUNGSTEN HALOGEN LAMP


GY6.35 BASE

DETERMINED


WEIGHT PLAN

DOTTED LINE INDICATES  
LIGHT CUT OFF  
ALTHOUGH THIS WILL  
BE A SMOOTH CUT-OFF  
DUE TO THE TEXTURED  
REFLECTOR

ENLARGED VIEW OF SCREW HEAD



VIEW "A"



VIEW ILLUSTRATING THE REMOVAL  
OF THE PROTECTIVE COVER TO  
CHANGE THE LAMP  
NOTE: COVER RETENTION WIRE

DIMENSIONS IN MM

DO NOT SCALE

|                                                                               |                       |               |  |
|-------------------------------------------------------------------------------|-----------------------|---------------|--|
| <b>MICROLIGHTS</b>                                                            |                       |               |  |
| Elcot Lane, Marlborough, Wiltshire SN8 2BG. Tel: 0672 515611 Fax: 0672 513816 |                       |               |  |
| Title: SIGN LIGHT                                                             |                       |               |  |
| Client: BURTONS                                                               | Project:              |               |  |
| Scale: 16-2-95                                                                | Date: 16-2-95         | Dm: J-M-BAKER |  |
| FastCad:                                                                      | Material: VARIOUS     |               |  |
| Autocad:                                                                      | Finish: 5050 R MATT   |               |  |
| Revisions:                                                                    | General Tolerance: NA | Size: A3      |  |
| A14-196 JEMBAKER                                                              | DwgSP/1170/GA         | Part No:      |  |

SOUTH HOLLAND DC  
HOUSING & ELECTRICAL  
10 AUG 1998  
Ref: 799/98

Drawing No.  
T1123-012