
Sign Lights

1050





1051 / 1053

Sign Lights - 6" Reflector		
Model No	Max Wattage	Proj (mm)
1050	1x E27 100w	360
Colours: Black, Brass		

3 light

6"

Sign Lights - 6" Reflector		
Model No	Max Wattage	Proj (mm)
1051	1x E27 150w	570
Colours: Black,		

1053	Low Energy 1x 2[illegible] 20	570
Colour: Brass		

1051/00

THE
RSTLIGHT
ATALOGUE

1

This is OK.
PSV/DJR. 21/8/00


Also swing signs as discussed at meeting.


Still OK to relocate. PSV 21/8/00

Enquiries to Mike Odell 01775 713

DELEGATED

1031/00





ELEVATION
from Red Lion Street

1-50 SCALE

FIRST FLOOR CONSTRUCTION AND CEILING FINISHES

Existing beam and block construction to first floor.
Flooring to be Ecomax Acoustics REDUC acoustic flooring type REDUC MICRO 17 (17mm thk)
Flooring to be installed in accordance with manufacturers specification and instructions.
Provide a suspended ceiling finish to ground and first floors, ceiling finishes to be
Armstrong 9121 Fire rated tiles (600x600) laid into a white exposed grid system.
Ceiling to be installed in strict accordance with manufactures specification and giving a full 1 hour fire

GLAZING

To be in accordance with Part N1 Build
All glazing to internal doors where fitted
All glazing to external doors to be tough
incorporating small glazing area not exc
Double-glazing to all external doors and
Each safety glazed panel to incorporate

ADDITIONAL VENTILATION REQUIRI

Mechanical extract ventilation to be pro