




FRONT ELEVATION



SIDE ELEVATION



REAR ELEVATION



SECTION ON A-A

GENERALLY

WINDOWS BY BOULTON & PAUL TO MATCH EXISTING PATTERN - DOUBLE GLAZED & FITTED WITH TRICKLE VENTS TO GIVE 8000 mm² VENT AREA. - OPENING VENT AREA OF HABITABLE ROOMS TO BE 1/20 FLOOR AREA.

USE INSULATING CAVITY CLOSERS AT OPENINGS TO GIVE 1.2 W/M² °C U-VAL - ALL FRAMES TO LAP VERTICAL D.P.C.'S BY MIN 25.

IN BATHROOM FIX FAN TO GIVE MIN 15 LITRES/SEC. VENTILATION.


ON NEW LANDINGS WHERE SHOWN FIX 1 No SMOKE DETECTOR - MAINS OPERATED C/W BATTERY BACK-UP.

ALL GLAZED AREAS ARE TO COMPLY WITH B.S. 6206 & APPROVED DOCUMENT N.


FIX 32 WASTE PIPE TO WASH HAND BASIN ; 38 WASTE PIPES TO BATHS & SHOWERS. - ALL APPLIANCES TO HAVE 75 DEEP SEAL TRAPS.

LINTOL SCHEDULE


1 OFF - LENGTH 2550
2 OFF - LENGTH 2550
3 OFF - LENGTH 1700 (SEE ATTACHED CONFIRMATION)
4 OFF - LENGTH 2100
5 OFF - LENGTH 1500
6 OFF - LENGTH 900



GROUND FLOOR PLAN



FIRST FLOOR PLAN



BLOCK PLAN
1 / 500

SOUTH HOLLAND DC
PLANNING
26 NOV 1997
Ref: 1223/97.

DETERMINED
PLAN

NOTES.

REVISIONS

PROPOSED EXTENSION AT
59 CHESTNUT AVENUE
SPALDING
FOR
MR. D. PUTTERILL

SCALES	1 / 100 & 1 / 500

DRAWING NO.
DP / 1

A2