
DOOR NO	LOCATION	STRUCTURAL OPENING SIZE W x H	LINTEL TYPE & LENGTH	DOOR TYPE	IRONMONGERY	DECORATION	OTHER
D1	DOOR DELETED						
D2	DOOR DELETED						
D3	DOOR DELETED						
D4	DOOR DELETED						
D5	ANNEX BED 5 EN SUITE		N/A STUD WALL	RE USE EXISTING DOOR TAKEN OUT FROM 1ST FLOOR	EXISTING		
D6	ANNEX BED 6	900 WIDE TO BE ENLARGED	1.6 LI/S x 1200 LONG	FRAME SOLD WITH FD 30 DOOR SOLD WITH BOTLOMD BOTH ITEMS TO BE ENLARGED	A,B,C. D,M,S,	FRAME WHITE GLOSS DOOR DULUX MID BRUNSWICK GREEN	
D7	ANNEX BED 6 DISABLED TOILET	1000 x 2100	100x65x1350 PRE STRESSED CONCRETE	926 x 2060 FLUSH DOOR			
D8	ANNEX BED 6 BATHROOM	MIN CLEAR WIDTH OF OPENING OF 800mm	100 x 65 x 1350 PRE STRESSED CONCRETE	838 x 1981 SOLID CORE FLUSH DOOR			
D9	ANNEX BED 7 EN SUITE	836 x 2041	100x65 x 1200 PRE STRESSED CONCRETE	RE USE EXISTING DOOR TAKEN OUT FROM 1ST FLOOR	EXISTING		
D10	DOOR DELETED						
D11	DOOR DELETED						
D12	ANNEX BED 11 EN SUITE		N/A STUD WALL	RE USE EXISTING EN SUITE DOOR	EXISTING		
D13	ANNEX BED 12 EN SUITE		N/A STUD WALL	RE USE EXISTING EN SUITE DOOR	EXISTING		
D14	ANNEX BED 13 EN SUITE		N/A STUD WALL	RE USE EXISTING EN SUITE DOOR	EXISTING		
D15	ANNEX STAFF WC	EXISTING	EXISTING	RE USE EXISTING DOOR TAKEN OUT FROM 1ST FLOOR BEDROOM			
D16	MAIN BUILDING MULTI FUNCTION ROOM - CELLAR	900 W x MAX HEIGHT POSSIBLE	EXISTING	826 WIDE SOLID CORE FLUSH DOOR 1/2 HOUR FIRE RESISTANT	A,B,C,E	GLOSS PAINT FINISH COLOUR -	
D17	MAIN BUILDING MALE TOILETS - CELLAR	900 W x MAX HEIGHT POSSIBLE	STUD WALL	826 WIDE SOLID CORE FLUSH DOOR. CURVE DOOR HEAD TO MATCH ARCH	A,B,E,F	GLOSS PAINT FINISH COLOUR -	
D18	MAIN BUILDING LOCKERS - CELLAR	900 W x HEIGHT TO MATCH D17	STUD WALL	826 WIDE SOLID CORE FLUSH DOOR 1/2 HOUR FIRE RESISTANT HEIGHT TO MATCH D17	A,B,C,E,	GLOSS PAINT FINISH COLOUR -	
D19	MAIN BUILDING FEMALE TOILET CELLAR	900 W x MAX HEIGHT POSSIBLE	STEEL BEAM OVER	826 WIDE SOLID CORE FLUSH DOOR MAX HEIGHT POSSIBLE	A,B,E,G	GLOSS PAINT FINISH COLOUR -	
D20	MAIN BUILDING FEMALE TOILET CELLAR	800 W x MAX HEIGHT POSSIBLE	STEEL BEAM OVER	726 WIDE SOLID CORE FLUSH DOOR MAX HEIGHT POSSIBLE	A,B,H	GLOSS PAINT FINISH COLOUR -	
D21	DOOR DELETED						
D22	MAIN BUILDING DISABLED TOILET GROUND FLOOR	TO SUIT EXISTING DOOR	N/A STUD WALL	RE USE EXISTING DOOR, FRAME, ARCHITRAVE	RE USE AS MUCH OF EXISTING AS POSSIBLE PLUS PRIVACY BOLT WITH INDICATOR PLUS PULL BAR.	MAKE GOOD TO EXISTING DECOR.	
D23	MAIN BUILDING WATER SOFTENER G.F	TO SUIT EXISING DOOR	N/A STUD WALL	RE USE EXISTING DOOR, FRAME, ARCHITRAVE	RE USE EXISTING PLUS AT MORTICE LOCK WITH DECOR. BRASS ESCUTCHEON	MAKE GOOD TO EXISTING	
D24	MAIN BUILDING STAFF MALE TOILET G.F	800 x 2100	N/A STUD WALL	726 x 2040 SOLID CORE FLUSH DOOR. ARCHITRAVE TO MATCH DOOR OPPOSITE.	IRONMONGERY TO MATCH GLASS MANUFACTURERS FINISH THAT ON FEMALE WC PLUS - PRIVACY BOLT - MALE WC SIGN	COLOUR -	
D25	MAIN BUILDING DINING/CONFERENCE	EXISTING	EXISTING	EXISTING DOOR TO BE BROUGHT BACK INTO USE	EXISTING		
D26	MAIN BUILDING REAR LOBBY G.F.		N/A STUD	PAIR OF 850 x 2040 (HINGE SIDE PURPOSE MADE DOORS ARCHED TOP 2850 ABOVE. SINGLE PANE LAMINATED GLASS	A,B,C,I,K,M	GLOSS PAINT DOOR - FRAMEWORK - } TO MATCH EXISTING WINDOWS	
D27	MAIN BUILDING MAIN DINING G.F	1728 x 2100	1.6 LI/S x 2100 LONG	PAIR OF 826 x 2040 PURPOSE MADE DOORS WITH SINGLE PANE LAMINATED GLASS STRIP OF DOOR AS D28	A,D,L,	PAINT TO MATCH EXISTING INTERNAL DOORS	ARCHITRAVE TO MATCH EXISTING. REBATED DOOR LINING NOT PLANTED STOP. FULL DEPTH OF WALL.
D28	MAIN BUILDING MAIN DINING G.F	1800 x 2650	1.6 LI/S x	PAIR OF 850 x 2040 PURPOSE MADE DOORS WITH SINGLE PANE OF LAMINATED GLASS	A,B,C,K,M	GLOSS PAINT DOOR - FRAMEWORK - } TO MATCH EXISTING WINDOWS	
D29	MAIN BUILDING MAIN DINING G.F	1000 x 2100	INNER LEAF 100 x 65 x 1350 PRESTRESSED CONC. OUTER LEAF 1.6 LI/S x 1350	907 x 2060 PURPOSE MADE DOOR WITH LAMINATED SINGLE GLAZING	A,M,P	GLOSS PAINT DOOR - FRAMEWORK - } GLUE EXTERNALLY TO MATCH EXISTING TO MATCH EXISTING WINDOWS	ARCH TOP TO FRAME RADIUS =
D30	ANNEX STORE	836 x 2041	N/A STUD	RE USE EXISTING 1 HOUR FIRE RESISTANT DOOR TAKEN OUT FROM FIRST FLOOR BEDROOM	RE USE EXISTING AS NEEDED PLUS ITEMS D,Q,R		
D31	ANNEX STORE	900 x 2100	N/A STUD	826 x 2040 SOLID CORE 1/2 HOUR FIRE RESISTANT FLUSH DOOR	A,B,C,D,Q,R.		
D32	ANNEX BED 5	900 x 2100	1.6 LI/S x 1200	FRAME SOLD WITH FXS DOOR " " 807 LOMD	A,B,C,D,S	FRAME WHITE GLOSS DOOR DULUX MID BRUNSWICK GREEN	
D33	ANNEX BED 7	EXISTING OPENING	EXISTING	REMOVE EXISTING OUTWARD OPENING DOOR & FRAME & REPLACE WITH INWARD OPENING TO MATCH DOOR D32	A,B,C,D,S	FRAME WHITE GLOSS DOOR DULUX MID BRUNSWICK GREEN	
D34	ANNEX BED 8	EXISTING	EXISTING	REMOVE EXISTING DOOR & REPLACE TO MATCH DOOR D32	RE FIT EXISTING IRONMONGERY	FRAME WHITE GLOSS DOOR DULUX MID BRUNSWICK GREEN	
D35	ANNEX FIRE ESCAPE	900 x 2100	1.6 LI/S x	FRAME SOLD WITH FXS DOOR " " 807 LOMD	A,P,	FRAME WHITE GLOSS DOOR DULUX MID BRUNSWICK GREEN	
D36	ANNEX BED 9	900 x 2100	1.6 LI/S x	FRAME SOLD WITH FXS DOOR " " 807 LOMD	A,B,C,D,S	FRAME WHITE GLOSS DOOR DULUX MID BRUNSWICK GREEN	
D37	ANNEX BED 10	900 x 2100	1.6	826 x 2040 1/2 HOUR FIRE RESISTANT DOOR FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R,		
D38	ANNEX BED 10	900 x 2100	N/A STUD WALL	826 x 2060 1/2 HOUR FIRE RESISTANT FLUSH DOOR	A,B,C,D,Q,R,S		
D39	ANNEX BED 10 EN SUITE	800 x 2100	N/A STUD WALL	726 x 2040 SOLID CORE FLUSH DOOR	A,B,T		
D40	ANNEX LANDING F.F.	900 x 2100	N/A STUD WALL	826 x 2060 1/2 HR FIRE RESISTANT SOLID CORE FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R,		
D41	ANNEX FIRE ESCAPE FF	900 x 2100	N/A STUD WALL	826 x 2060 1/2 HR FIRE RESISTANT SOLID CORE FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R		
D42	ANNEX BED 14	900 x 2100	N/A STUD WALL	826 x 2040 1/2 HOUR FIRE RESISTANT FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R		
D43	ANNEX BED 14	900 x 2100	N/A STUD WALL	826 x 2060 1/2 HOUR FIRE RESISTANT FLUSH DOOR	A,B,C,D,Q,R,S		

DOOR NO	LOCATION	STRUCTURAL OPENING SIZE W x H	LINTEL TYPE & LENGTH	DOOR TYPE	IRONMONGERY	DECORATION	OTHER
D44	ANNEX BED 16 EN SUITE	800 x 2100	N/A STUD WALL	726 x 2060 SOLID CORE FLUSH DOOR	A,B,T		
D45	ANNEX BED 15	1145 x 2100	N/A STUD WALL	PAIR OF 523 x 2000 MARINE MADE FRAMED DOORS WITH 4-6-4 TOUGHENED DOUBLE GLAZING WITH LOW E COATING OF	A,B,C,K.	WHITE GLOSS	
D46	ANNEX BED 15	900 x 2100	N/A STUD WALL	826 x 2040 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R		
D47	ANNEX BED 15	900 x 2100	N/A STUD WALL	826 x 2060 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR	A,B,C,D,Q,R,S		
D48	ANNEX BED 15 EN SUITE	800 x 2100	N/A STUD WALL	726 x 2040 SOLID CORE FLUSH DOOR	A,B,T		
D49	ANNEX LANDING 2ND FLOOR	900 x 2100	N/A STUD WALL	826 x 2040 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R.		
D50	ANNEX BED 16 EN SUITE	800 x 2100	N/A STUD WALL	726 x 2040 SOLID CORE FLUSH DOOR	A,B,T		
D51	ANNEX BED 16	900 x 2100	N/A STUD WALL	826 x 2040 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR	A,B,C,D,Q,R,S		
D52	ANNEX BED 17	900 x 2100	N/A STUD WALL	826 x 2040 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR	A,B,C,D,Q,R,S		
D53	ANNEX BED 17 EN SUITE	800 x 2100	N/A STUD WALL	726 x 2040 SOLID CORE FLUSH DOOR	A,B,T		
D54	ANNEX BED 18 EN SUITE	800 x 2100	N/A STUD WALL	726 x 2040 SOLID CORE FLUSH DOOR	A,B,T		
D55	ANNEX BED 18	900 x 2100	N/A STUD WALL	826 x 2040 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR	A,B,C,D,Q,R,S,		
D56	ANNEX FIRE ESCAPE 2nd FLOOR	900 x 2100	N/A STUD WALL	826 x 2060 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR WITH CLEAR 6MM PVB VISION PANEL	A,B,D,Q,R.		
D57	ANNEX ATTIC	900 x 2100	N/A STUD WALL	826 x 2040 1 HOUR FIRE RESISTANT SOLID CORE FLUSH DOOR	A,B,C,D,Q,R,		
D58	ANNEX BED 9 EN SUITE	800 x 2100	100 x 65 x 1200 PRE STRESSED CONCRETE	726 x 2060 SOLID CORE FLUSH DOOR	A,B,T		

IRONMONGERY LEGEND

A 12 PAIR WASHERED STEEL HINGES PER DOOR LEAF THOSE ON FIRE RESISTANT DOORS NOT TO CONTAIN ANY MATERIAL WITH MELTING POINT OF LESS THAN 800°C
B BRASS LEVER HANDLET (WHERE POSSIBLE TO MATCH EXISTING. (HANDLES TO BE SUITABLE FOR USE BY DISABLED / WARM. MORTICE LATCH
C SUITED MORTICE DOOR LOCKS WITH BRASS ESCUTCHEONS
D OVERHEAD DOOR CLOSERS - THOSE ON FIRE DOORS TO BE TESTED TO BS 476 FOR USE ON FIRE DOORS
E DOOR CLOSER TYPE TO BE AGREED
F BRASS MALE TOILET SIGN
G BRASS FEMALE TOILET SIGN
H BRASS PRIVACY BOLT WITH INDICATOR
J BRASS HOOKS TO HOLD DOOR OPEN
K BRASS BOLTS TOP & BOTTOM TO ONE DOOR LEAF
L BRASS PUSH PLATES & PULL HANDLES
M THRESHOLD - TO BE SUITABLE FOR USE BY DISABLED PERSONS
N BRASS DISABLED TOILET SIGN
P BRASS LEVER HANDLE ON INSIDE ONLY WITH LATCH OPERATED BY LEVER HANDLE PLUS SIGN 'DEPRESS LEVER TO OPEN'
Q SMOKE SEAL } CAN BE COMBINED
R INTUMESCENT SEAL }
S ROOM NUMBERS - BRASS
T PRIVACY BOLT.



CLEAR TOUGHENED WIRED POLISHED PLATE VISION PANEL OR PILKINGTON PYRODUR (NOT WIRED)

SKETCH OF VISION PANEL TO DOORS

SHDC
PLANNING & DEVELOPMENT
24 NOV 2003
Ref. 1421/03

Contractor To Check All Dimensions On Site Before Work Commences.

Rev.	Date.	Init.	Revision Details.

PODDINGTONS
Architectural Design Consultants
Unit 7, The Flaxmill, Flaxmill Lane, Pinchbeck, Spalding, Lincs. PE11 3XQ.
Tel: 01775 720866 Fax: 01775 720877

Project.
MR & MRS G. MOWAT.
CLEY HALL HOTEL.
22, HIGH STREET, SPALDING,

DETERMINED PLAN

Drawing.
DOOR & LINTEL SCHEDULE

Scale.	Drawing. No.
NTS	3130-10
Drawn.	
Date. NOV 2003	Rev.