


| | | |
|---|---|---|
| A | 02.11.2006 | UPDATED TO REFLECT PLANNING CONDITIONS |

Revisions

Preliminary | For Construction


David Trundley Design Services Limited

Chartered Institute of Architectural Technologists

Salgate Barn, Islington Road, Tilney All Saints, King's Lynn, Norfolk. PE34 4RY
Tel: 01553 617700 Fax: 01553 617874 Email: enquiries@dtrundleydesign.co.uk


Project Title:

DRUMMOND DEVELOPMENTS LIMITED

PROPOSED REDEVELOPMENT OF EXISTING REDUNDANT HEALTH CARE CENTRE FOR RESIDENTIAL USE

Drawing Title:

PROPOSED STORM WATER DRAINAGE PLAN

Scale: 1:100 Date: OCT 2006 Drawn: SJ

Drawing Number:

05-66-205 A


Copyright:
This drawing must not be re-issued, loaned or copied without the consent of David Trundley Design Services Limited. Do not scale this drawing, use only figured or grid dimensions. All dimensions to be checked by contractor on site


STORM WATER DRAINAGE SCHEDULE

| Manhole | Cover Level (ASSUMED) | Invert Level | Depth | Type |
|---|---|---|---|---|
| SW 1 | 10.260 | 9.535 | 0.725 | Light duty |
| SW 2 | 10.260 | 9.440 | 0.820 | Light duty |
| SW 3 | 10.170 | 9.380 | 0.790 | Light duty |
| SW 4 | 10.170 | 9.330 | 0.840 | Light duty |
| SW 5 | 10.010 | 9.190 | 0.820 | Medium duty |
| SW 6 | 9.781 | 9.110 | 0.671 | Heavy duty |
| SW 7 | 9.774 | 8.965 | 0.809 | Heavy duty |
| SW 8 | 9.809 | 9.035 | 0.774 | Medium duty |
| SW 9 | 9.809 | 9.155 | 0.654 | Light duty |
| SW 10 | 9.787 | 8.865 | 0.922 | Heavy duty |
| SW 11 | 9.665 | 8.110 | 1.555 | Heavy duty |
| SW 12 | 10.270 | 9.560 | 0.710 | Light duty |
| SW 13 | 10.270 | 9.470 | 0.800 | Light duty |
| SW 14 | 10.010 | 9.360 | 0.650 | Light duty |
| | | | | |
| | | | | |

# PROPOSED STORM WATER DRAINAGE

SCALE 1:100


SHDC
PLANNING & DEVELOPMENT
17 JAN 2007
Ref. 0088/07


N