

PROPOSED FOUL WATER DRAINAGE

SCALE 1:100

FOUL WATER DRAINAGE SCHEDULE				
Manhole	Cover Leve l(ASSUMED)	Invert Level	Depth	Type
MH 1	10.150	9.654	0.496	Light duty
MH 2	10.270	9.529	0.741	Medium duty
MH 3	10.270	9.354	0.916	Light duty
MH 4	10.170	9.204	0.966	Light duty
MH 5	10.190	9.141	1.049	Medium duty
MH 6	10.010	9.091	0.919	Light duty
MH 7	10.010	8.816	1.194	Light duty
MH 8	10.180	9.566	0.614	Light duty
MH 9	10.180	9.466	0.714	Light duty
MH 10	10.010	9.241	0.769	Light duty
MH 11	10.015	9.066	0.949	Light duty
MH 12	10.010	8.991	1.019	Light duty
MH 13	10.010	9.241	0.769	Light duty
MH 14	9.751	8.591	1.160	Heavy duty
MH 15	9.751	8.341	1.410	Heavy duty
MH 16	9.767	7.966	1.801	Heavy duty
MH 17	9.767	7.741	2.026	Heavy duty
MH 18	9.665	7.603	2.062	Back-drop manhole
MH 19	9.809	8.791	1.018	Light duty
MH 20	9.809	9.129	0.680	Light duty

A	27.02.07	ALTERATIONS OF FALLS OF HARDSTANDING AREAS

Revisions

Preliminary | For Construction

David Trundley Design Services Limited

Chartered Institute of Architectural Technologists

Salgate Barn, Islington Road, Tilney All Saints, King's Lynn, Norfolk. PE34 4RY
Tel: 01553 617700 Fax: 01553 617874 Email: enquiries@dtrundleydesign.co.uk

Project Title:

DRUMMOND DEVELOPMENTS LIMITED

PROPOSED REDEVELOPMENT OF EXISTING REDUNDANT HEALTH CARE CENTRE FOR RESIDENTIAL USE

DETERMINED PLAN

Drawing Title:

PROPOSED FOUL WATER DRAINAGE PLAN

Scale: 1:100 Date: OCT 2006 Drawn: SJ

Drawing Number:

05-66-206 A

Planning & Development - 6 MAR 2007

Copyright:
This drawing must not be re-issued, loaned or copied without the consent of David Trundley Design Services Limited. Do not scale this drawing, use only figured or grid dimensions. All dimensions to be checked by contractor on site