

Sectionthru. bund.

NORTH

Earth bund.

H 18 / 1201 / 95

Quartz Sunflood lighting to gable and Directo give 10m rad. illumination at f.f.l.

Existing Concrete Road

PROPOSED.

Exist Concrete Yard.

10m

Exist chain link fence

s.a.

Line of exist to be demolished.

H 18/0179/98

s.a.

Parking (cars)

Existing Hardstanding


Parking (trailers)

10m

Exist Access

West Bank.

Block Plan 1:500



Location Plan 1:2500

DETERMINED PLAN

SOUTH HOLLAND DC
HOUSING & PLANNING
07 MAY 1998
Ref: 0157/98.

COOPER ARCHITECTURAL DESIGN
BRONAVON, HOCKLESGATE,
FLEET, SPALDING, LINC'S PE12 8LF
Tel/Fax : 01406 423762 Mobile 0410 290852

Client.
ROFFES TRANSPORT


Project.
PROPOSED STORAGE BUILDING
WEST BANK,
SUTTON BRIDGE,
SPALDING,
LINC'S.

Drawing.


Scale	Drawing No.
	9741:1
Date. FEB. '98	Drawn. J.C.




EAST ELEVATION



SOUTH ELEVATION



SOUTH ELEVATION



WEST ELEVATION

LIMITATIONS.
This drawing is limited to the amount of information contained and does not purport to contain a full specification of the works. It is solely for the purpose of obtaining Planning / Building Regulation approval.
The drawing must not be used as a contract document alone.
All dimensions shall be taken from site from actual work. Under no circumstances shall measurements be scaled from this drawing for construction or ordering purposes. All open dimensions shall be checked by the Builder / Contractor and will be his responsibility from commencement of site works.
The works will not be supervised or inspected on site by C.A.D. or any representative thereof. It is the client or their appointed agents responsibility to control workmanship, substitution of materials, adherance to specification, variations to contract etc.

COPYRIGHT RESERVED.
Copies of this drawing must be made only with the written permission of Cooper Architectural Design.

STANDARDS.
All materials to be new unless otherwise stated and all components and materials etc. to be used fitted and installed etc. in strict accordance with manufacturers instruction and relevant Code of Practice.
Materials shall conform to appropriate British Standard Specification or BBA Certificate or European Code equivalent.

HEALTH & SAFETY.
The Employer / Client shall ensure that the selected contractor is conversant with and adopts all necessary measures, to achieve compliance with Health & Safety legislation for Building Sites and Work Places.
The Employer / Client is advised that should the works need to comply with the Construction Design and Management Regulations an independent Planning Supervisor will be required.

SCOPE OF THE WORKS.
The works shall comprise of all that is shown on the drawing and details. Work that may not be specifically shown but may be reasonably inferred as necessary, to carry out the works shall be deemed to be included.

DETERMINED
PLAN

SOUTH HOLLAND DC
HOUSING & PLANNING
07 MAY 1998
Ref: H/51/98

revision	date	init.	revision details.


COOPER ARCHITECTURAL DESIGN
BRONAVON, MOCKLESGATE,
FLEET, SPALDING, LINC'S PE12 6LF
Tel/Fax 01406 423782

ROFFES TRANSPORT


Project.
PROPOSED STORAGE BUILDING
WEST BANK,
SUTTON BRIDGE,
SPALDING,
LINC'S.

Drawing.
ELEVATIONS.

Scale 1:100	Drawing No. 9757:3
Date APRIL '98	Drawn. J.C.



FLOOR PLAN



SECTION

PITCHED ROOF
Form pitched roof covering of "CAPE SECRAD" or similar approved profile Fibre Cement sheeting. Roofing system to be fixed to "Wards Multibeam" or similar galvanised steel purlin spacer to Structural Engineers recommendations. All purlins to be fixed in accordance with manufacturers instructions

CLADDING Form all vertical cladding of "WardMultibeam Components" or similar approved profile and manufacture, 0.5mm Plastisol coated steel. All on "Wards Multibeam" or similar galvanised steel rails spaced to Structural Engineers recommendations. All fixed in accordance with manufacturers instructions.

STEELWORK
Form all steelwork to Structural Engineers recommendations. All Roof, Side and Gable purlins/ rails to be "Wards Multibeam" or similar. Fixed in accordance with manufacturers instructions out side steelwork.

EMERGENCY EXIT DOORS
All doors to be min 1981mm wide and fitted with panic latch. Provide "Push Bar to Open" sign on door. Easement, Exit step over to B.S. 5499 pt1 Externally provide 1.0m x 1.0m concrete landing, level with internal FFL.

LIGHTING.
Provide "Siemens" or similar approved twin 1.2m high frequency 70 watt fluorescent batten to fixed at roof level. to provide the following lighting levels.
Storage areas - 150lux at vertical plane
Provide emergency light fittings with 1/4 tube converter in positions shown on plan all to B.S. 9266 pt1

FLOORS.
Floor slab to comprise of 200mm min. clean and well consolidated hardcore not exceeding 75mm max size, with 50mm blinding, 175mm reinforced concrete RC35 min. with 1 layers A393 reinforce fabric min. cover 40mm from top. Provide 1200 Kg polythene D.P.M. lapped min. 500mm in all directions and taken up edge of floor slab. Longitudinal joints of 900mm long 12mm dia. tor bars at 600mm c/c. at steelwork bay centres. Contraction joints of 400mm long 12mm dia. bars at 300mm c/c. dowel bars debonded over half length. All at. max 30.0m centres. Power Float Finish. Design Loading 5KN/ m2 for industrial occupancy.

LIMITATIONS
This drawing is limited in the amount of information contained and does not purport to contain a full specification of the works. It is solely for the purpose of obtaining "Planning" / Building Regulation approval.
The drawing must not be used as a contract document alone.
All dimensions shall be taken from other than scaled work. Under no circumstances shall measurements be scaled from this drawing for construction or orders purposes.
All door dimensions shall be checked by the Builder / Contractor and will be no responsibility from commencement of site works.
The works will not be supervised or inspected as part of the CAD, or any representation thereof. It is the Client or their appointed agents responsibility, to control workmanship, substitution of materials, adherence to specification, variations to contract etc.

COPYRIGHT RESERVED.
Copies of this drawing must be made only with the written permission of Cooper Architectural Design.

STANDARDS
All materials to be new unless otherwise stated and all components and materials etc. to be used fitted and installed etc. in strict accordance with manufacturers instruction and relevant Code of Practice.
Materials shall conform to appropriate British Standard Specification or BBA Certificate or European Code equivalent.

HEALTH & SAFETY.
The Employer / Client shall ensure that the selected contractor is conversant with and abides all measures necessary to achieve compliance with Health & Safety legislation for Building Sites and Work Places.
The Employer / Client is advised that, should the works need to comply with the Construction Design and Management Regulations an independent Planning Supervisor will be required.

SCOPE OF THE WORKS.
The works shall comprise of all that is shown on the drawing and details. Work that may not be specifically shown but may be reasonably inferred as necessary to carry out the works shall be deemed to be included.

DETERMINED PLAN

SOUTH HOLLAND DC HOUSING & PLANNING 07 MAY 1998 97/57/98.

revision	date	init.	revision details

COOPER ARCHITECTURAL DESIGN
BRONAVON, HOCKLESGATE,
FLEET, SPALDING, LINC'S PE12 8LF
Tel/Fax : 01406 423782

Client: ROFFES TRANSPORT

Project: PROPOSED STORAGE BUILDING, WEST BANK, SUTTON BRIDGE, SPALDING, LINC'S.

Drawing: FLOOR PLAN/ SECTION

Scale	Drawing No.
1:100	9757:2
Date. APRIL '98.	Drawn. J.C.