

FRONT LEFT REAR RIGHT

FRONT LEFT

REAR RIGHT

GROUND FLOOR swimming pool building



GARDEN ROOM PLAN

PROPOSED EXTENSION & ALTERATIONS TO HOUSE AND NEW GARDEN BUILDINGS AT 'THE VILLA' 83 NEW ROAD SUTTON BRIDGE for MR & MRS WARR

DO NOT SCALE FROM THIS DRAWING

This drawing is the property of Julian Warrick Design Consultant and is protected by copyright. It is issued on the condition that it is not copied, reproduced, retained or disclosed to any unauthorised person either wholly or in part without the consent of Julian Warrick Design Consultant. Any breach will render the infringer liable to prosecution and civil claims for damages. This drawing is issued for the purpose of gaining Planning Permission and Building Regulation approval only and is not to be used for any other purpose. Julian Warrick Design Consultant will not be responsible for any loss or damage caused by any use made of this drawing for any other purpose or by any person other than the person by whom it was commissioned. Any discrepancies must be reported immediately to the author. Do not scale from this drawing. Figured dimensions only are to be taken from this drawing. All dimensions are to be checked on site by the contractor before any work is put in hand or any materials or components are ordered. Any discrepancies are to be reported immediately to the author. This drawing is to be read in conjunction with all relevant engineers' and specialists' drawings and specifications. Any variations are to be agreed with the author before work proceeds. Materials and workmanship shall comply with the relevant British Standard Specification or BBA certificate of practice. Any proprietary system or component mentioned may be substituted with a similar system or component of which you provide all information necessary to demonstrate compliance with the Building Regulations for approval by Building Control before commencement of work. The Building Regulations 2010 Approved Document C sets out the guidance for dealing with site preparation and resistance to contaminates and moisture. Where a cavity wall is to be filled with insulation, the builder must ensure that the insulation has been passed as suitable for the exposure zone of the site. Cavity trays must be provided over openings in exposed walls and at any point where the inner leaf is lower than the outer leaf. Fire stopping must be provided around openings and penetrations. Combustible materials shall not be placed within 150mm of a flue pipe or 50mm of any other hot surface. Meters and associated pipework must be approved by the relevant statutory undertaker. Window and door manufacturers must certify that their products meet the relevant standards for emergency escape and provide the relevant certification. Glass in critical locations must comply with Part N of the Building Regulations 2010. Where glazing manifestations are required, they must be permanent, visible under all lighting conditions and be non-combustible or of limited combustibility. Glazing in doors, sidelights and adjacent to doors must comply with Part K of the Building Regulations 2010. Where a door is required to be fire resisting, the doorset must be certified as meeting the performance specification set out in Approved Document B volume 1 2010 Edition incorporating 2010 and 2013 amendments. Any glazing in doors, sidelights or adjacent to doors must be fire resisting where required. Where glazing is required to be safety glazing, it must be permanently marked to indicate compliance with the relevant standard. Glazing in critical locations