
lead lighthouse

Proposed elevation

Cno visible windows

Scale of 20:1

TOWER




washroom
shaded to be
demolished
red = extended
rebuilds


This elevation is
concealed by a
kitchen extension and
only visible from
rat kitchen

880/95

Guy's Head Lighthouse
proposed elevation
scale of 20:1



victorian window, sash
to replace non-descript
existing window itself a
replacement of a 1950's
iron window.



Gt 7's Head lighthouse
washroom alteration

existing elevation

Scale at 20:1

ref application no
0881/95

existing 1980's window which replaced a 1950's metal framed window

see photographs supplied

DETERMINED
PLAN

on a scale of 250 to one

Demolition of existing washroom, to be rebuilt of similar appearance but larger.

At Guy's Head Lighthouse

tower

RECEIVED
30 AUG 1995
Ref 0880/95

existing washroom

solid 10 inch wall to be demolished

Tower window

minimum 1.90 internal height in existing to be minimum in new.

wall angled to move similarly match radial nature of tower.

4 inch minimum concrete on hardcore with DPM

new 250 mm cavity wall to be built on minimum 600 ml fondations minimum 600 ml deep.

O foul water to existing septic tank

O drainage to existing soakaway

existing window replaced ~~or~~ as "histaic buildings" might suggest


existing 30° roof pitch to be reduced to 27°
existing slates to be replaced with addition of similar

roof timbers 125 x 50 mm at 250 centres
4" minimum insulation

cottage.

Existing elevation
(no visible windows)

Scale of 20:1.



DETERMINED
PLAN