APPLICATION SITE

FENCE

WATER MAIN

Duct 300mm

Duct 300mm

Duct 300mm

Duct 150mm

Duct 150mm

280mm HP

260mm HP

400mm HP

MAIN ROAD

SPUR ROAD 1

CENTURION WAY

CUTLINE

50.00

100.00

150.00

200.00

250.00

300.00

350.00

450.00

EAST MIDLANDS ELECTRICITY

LV EXISTING UG/OH LOW VOLTAGE

X No. 100mm DIA. DUCTS TO BE LAID BY CONTRACTOR. GROUP Z 400mm BENEATH CARRIAGEWAY, GROUP 5 750mm BENEATH FOOTWAY AND VERGE.

ANGLIAN WATER SERVICES Ltd

AW EXISTING OPERATIONAL POTABLE WATER MAIN

PROPOSED WATER MAIN (to be laid by AW Contractor)

DUCT TO BE LAID BY CONTRACTOR. GROUP Z BENEATH CARRIAGEWAY, TYPE 5 BENEATH FOOTWAY AND VERGE. DUCT TO BE LAID UP TO WATER MAIN WITH 900mm COVER AND TERMINATED 1m BEHIND HIGHWAY BOUNDARY

SLUICE VALVE

WASHOUT VALVE

WASHOUT

AIR VALVE

SHDC
Planning & Development
0 4 MAR 2005
Ref: 1374/04

Amendment details

LINCOLNSHIRE - Part of the East Midlands Region

LINCOLNSHIRE COUNTY COUNCIL
HIGHWAYS & PLANNING DIRECTORATE
P.D. JAMESON, B.Sc.,C.Eng.,F.I.C.E., Head of Technical Services
Witham Park House, Witham Park, Waterside South, Lincoln LN5 7JN

DRG.No. A/S05033/31

Archive No.

SUTTON BRIDGE
WINGLAND ENTERPRISE PARK
NRSWA - EAST MIDLANDS ELECTRICITY & ANGLIAN WATER SHEET 1 of 2

SCALE 1:500 DATE 10.99

Drawn D.B. Draughted C.W. Approved D.B.

SHEET No. 16