

(CO)(S) MAINS OPERATED, WITH BATTERY BACK UP INTERCONNECTED CARBON MONOXIDE AND SMOKE DETECTORS CONNECTED TO EXISTING FIRE DETECTION/ALARM SYSTEM



PROPOSED FLOOR PLAN 1:50


FOUL WATER DRAINAGE INTERNAL - 50mm Ø WASTES; 75mm DEEP SEAL TRAPS - MAINTAIN ACCESS TO SHOWER TRAPS; MIN. 200mm DIFFERENCE IN LEVEL BETWEEN 50mm Ø WASTES AND W.C. CONNECTIONS TO SVPs

1:50 0 1 2 3 4 5



ROOF PLAN AS PROPOSED 1:100

1:100 0 1 2 3 4 5 10



EXISTING FLOOR PLAN 1:100

NOTES:-

THIS DRAWING HAS BEEN PRODUCED SOLELY FOR THE PURPOSE OF SUBMISSION OF PLANNING AND BUILDING REGULATIONS APPLICATIONS. IT SHOULD NOT BE CONSTRUED AS BEING A CONSTRUCTION DRAWING.

PROPOSED EXTENSION TO CATLINGS FARM, CHILDERSGATE, SUTTON ST. JAMES, LINCS., PE12 0HX

DRN.:- JOHN STEPHENSSON
01366 383715

REVISIONS:-

SCALES:- 1:50, 1:100

DATE:- JUNE 2026

DRG. NO.:- 1808.1