


AMENDED PLAN

Ref. A4

SHDC
Planning & Development
11 APR 2011
Ref: 1008-10.

MGC+



mono® HINGE
SELF CLOSING GATE



New generation gates for safe, reliable public access



Close the gate on playground injury

Designing safe, reliable and low-maintenance self closing gates has always been a massive challenge.

Until now. Today the Mono Hinge Self-Closing Gate from Medway Galvanising *has evolved into a market standard.*

Regarded as one of the safest gates available, it leads the way in user-friendly design, robustness and aesthetics, making it the preferred choice of increasing numbers of local authorities and businesses that need accessible and durable gate solutions.





mono HINGE® SELF CLOSING GATE

Fully tested, BSEN-1176 and DDA compliant

Hazard-free, durable design


Simple installation and maintenance







no finger traps



no crush points or shear actions



variable closing speed



vandal resistant mechanism

Risk-free, reliable, robust

Opening to 110 degrees to prevent recoil, the wheelchair accessible Mono Hinge has no finger traps, crush points, shear actions or head traps and incorporates easily adjustable closing *speeds and torsion settings. A highly* durable, fully enclosed closing mechanism tested to over 500,000 cycles, vandal-resistant fixings and 19mm diameter bars add to its resilience, helping to ensure it functions smoothly year after year.

In addition, the Mono Hinge fully complies with BSEN-1176 for play equipment and all current DDA recommendations, making it ideal for long-term refurbishment programmes.

Lasting durability and colourful aesthetics are Mono Hinge hallmarks. Fully galvanised as standard to deliver proven long-life corrosion protection for up to 60 years, the gates can be powder coated in a vast range of colours to suit every need, with the quality of the coatings backed with long-term guarantees.

Simple installation is another feature. *Designed to open to the left or right,* single or double, so it can match the needs of any environment, the Mono Hinge is assembled and supplied as a complete unit, enabling fast and easy installation to the correct specifications without costly site works.