




Front Elevation
1 : 50




Rear Elevation
1 : 50




Side Elevation - Entrance
1 : 50



Ground Floor
1 : 50



First Floor
1 : 50



Location Plan
1 : 1250

Working adjacent public highway and play area

Temporary supports maybe required if foundations are deep

Hidden services

PLAN AS EXISTING

A	Extension added and Building Control Amendments	16-10-16

CDM Risk Register

No.	Construction Element	Hazards	Action to be carried out	Action required by who	Action required by when	Related Pre Construction Info	PCI info provided by who	PCI Info by when	Health and Safety File Info	File info provided by who
1	All	Working adjacent public highway and play area	Contractor to produce necessary method statements and risk assesments and put notices off traffic movements up to warn public	Principle Contractor	Every day work is taking place	Adequete protection and signs to boundary, when work is proposed to boundary highways department to be contacted to discuss safe method of work	Ian Gowler	Prior to Starting	Method statement for carrying out work on highway and vehicle movements near playarea	Principle Contractor
2	New Foundations	Temporary supports maybe required if foundations are deep	Follow guidance 'Excavations - What you need to know as a busy builder'	Principle Contractor	Prior to starting excavations	Carry out trial hole to establish foundation depth required and wheter supports are required	Principle Contractor	Prior to stating excavations	Details on method statement for excations	Principle Contractor
3	Existing Services	Hidden services	Prior to starting excavations contractor shall check site for potentional unknown services.	Principle Contractor	Prior to starting excavations	Known approximate position of water services is shown on site plan	Ian Gowler	Prior to stating excavations	Details on investigation of any services found	Principle Contractor

Ian Gowler Consulting Ltd
Architectural and Domestic Energy Consultant
Grove House, 22 Primrose Hill, Doddington, Cambs, PE15 0SL
tel. 01354 667055 ian@gowler-architectural.co.uk

Proposed Dwelling and Garage at Station Road, Tyd Gote for Martin Melton

Construction Drawing - Sheet 1

date created	scale	drawing no.	rev.
05-05-14	As indicated @ A1	05 011 -	A

Notes

Any discrepancies to be brought to attention of Author as soon as possible.
All dimensions shown in "mm" unless otherwise shown.
Unless stated otherwise, this drawing has been assessed for risks and nothing is deemed to be outside of normal good safe working practice that would be covered by a contractors Construction Phase Health and Safety Plan.
Do note scale from this drawing.