
Triple Somersault Bars

PCM803



Item no. PCM803-0902	
General Product Information	
Dimensions LxWxH	306x119x170 cm
Age group	4+
Play capacity (users)	3
Colour options	●





The triple somersault bars are an open invitation to somersault, be seated, hang in your knees, hang in your arms and thus a fun possibility for showing off acrobatics skills together with friends. Apart from being great fun, also for more children at a time, the movements made on the somersault bars will train the child's arm, leg and core muscles and not least its motor skills such as sense of balance, space and cross-body coordination.



Data is subject to change without prior notice.

Triple Somersault Bars

PCM803



Somersault bar
Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. **Social-Emotional:** meeting, socializing and turn-taking when climbing up and down via bar.



Data is subject to change without prior notice.

Triple Somersault Bars

PCM803





Steel posts are galvanised inside and outside with powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world.

The turnbars are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and it requires low maintenance.

Item no. PCM803-0902		
Installation Information		
Max. fall height		148 cm
Safety surfacing area		17.5 m²
Total installation time		3.1
Excavation volume		0.11 m³
Concrete volume		0.04 m³
Footing depth (standard)		85 cm
Shipment weight		85 kg
Anchoring options	In-ground	✔
	Surface	✔
Warranty Information		
Post		10 years
Spare parts guaranteed		10 years

Data is subject to change without prior notice.

Sustainability Data

PCM803




Cradle to Gate A1-A3	Total CO_2 emission	CO_2e/kg	Recycled materials
	kg CO_2e	kg CO_2e/kg	%
PCM803-0902	188.30	3.36	46.40

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO_2 calculation method
BUREAU VERITAS
HSE Denmark A/S

Verification of CO_2 calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

Data is subject to change without prior notice.

Triple Somersault Bars

PCM803


* Max fall height | ** Total height | *** Safety surfacing area



PCM803-xx02
*148cm
**170cm
***17.5m²

Click to see TOP VIEW

* Max fall height | ** Total height



PCM803

Click to see SIDE VIEW

Data is subject to change without prior notice.