Crazy Scrambler

M130

Item no. M13070-01P	
General Product Information	
Dimensions LxWxH	36x90x83 cm
Age group	1+
Play capacity (users)	2
Colour options	







A whoosh of excitement is felt when this fast little motorbike, leaning to one side, takes the corner. This sturdy play item with its powerful single spring-motor can seat two policemen, one behind the other. So hold on to your hats everyone!



Data is subject to change without prior notice.

Crazy Scrambler

M130



Handhold
Physical: the possibility to hold onto more areas of the handhold ensures a good grip, necessary for rocking intensely. This trains hand and arm muscles.





Theme
Cognitive: suggests a theme and supports dramatic play, which stimulates languages and communication skills.



Foot support
Physical: a good footrest supports intensive rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely. To rock intensely also supports coordination and muscle strength.



Rocking spring
Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. **Cognitive:** trains the understanding of cause and effect: when I move my body, the spring responds with movement.


Data is subject to change without prior notice.

Crazy Scrambler

M130








Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

Item no. M13070-01P		
Installation Information		
Max. fall height		60 cm
Safety surfacing area		7.4 m²
Total installation time		2.9
Excavation volume		0.19 m³
Concrete volume		0.00 m³
Footing depth (standard)		45 cm
Shipment weight		41 kg
Anchoring options	In-ground	✔
	Surface	✔
Warranty Information		
EcoCore HDPE		Lifetime
Hot dip galvanised steel		Lifetime
Springs		5 years
Spare parts guaranteed		10 years






Rock wall handholds are made of pressure moulded high quality nylon (PA6). PA6 has good wearing and impact strength.

KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCoreTM panels of +95% post consumer recycled ocean waste.

Data is subject to change without prior notice.

Sustainability Data

M130




Cradle to Gate A1-A3	Total CO_2 emission	CO_2e/kg	Recycled materials
	kg CO_2e	kg CO_2e/kg	%
M13070-01P	74.50	2.05	61.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark

Validation of CO_2 calculation method
BUREAU VERITAS
HSE Denmark A/S

Verification of CO_2 calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025
Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023


By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

Data is subject to change without prior notice.

Crazy Scrambler


M130

* Max fall height | ** Total height | *** Safety surfacing area



M13071
*60cm
**83cm
***7.4m²

* Max fall height | ** Total height



M13071

Click to see TOP VIEW

Click to see SIDE VIEW

Data is subject to change without prior notice.