Beesons of Boston Ltd.

Glazing contractors & Building Repairs
PVCU Windows - Doors & Conservatories

Detailed Quote (Trade)

Beesons of Boston Ltd
6 Nelson Way
Boston
Lincs

PE21 8TS
01205 362103
sales@beesonsofbostonltd.com

VAT No: **127988911** *Fensa No:* **13068**


Quote No: **7220**
Quote Date: **Mon / 06 Sep 2021**
Reference:
Printed: 06/10/2021 08:56:38

Rob Hartley
Re: The Chequers
Supply Only

Frame No: 1
System: Deceuninck 70mm System
Style No: 1804
Quantity: 1
Group: Resi Door 2800 OO Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Black Gasket
Handles: None
Hinge: Black SFS Hinge [3]
Lock: Panic Door + Outside Access RD
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: Silver Threshold OO (RD)
Location: Panic Exit Door Kitchen

Frame Extenders:
T: 15mm Addon Black-Brc ***L:***
B: ***R:*** 15mm Addon Black-Brc
Outer: **T:70 L:70 R:70 B:20**




920 x 2000

Glass & Extras: 631 x 938 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
631 x 716 - Shiplap Cons Ver Panel Black/White

Frame No: 2
System: Deceuninck 70mm System
Style No: 6
Quantity: 1
Group: Casement 2800 Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Flat Window

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**



1120 x 1150

Glass & Extras: 500 x 1070 - 4/20/4 Planitherm / Float + Argon | Super Spacer
410 x 980 - 4/20/4 Planitherm / Float + Argon | Super Spacer

This is where you can enter your own disclaimer / notes

Signed: _____ Name: _____ Date: _____

Beesons of Boston Ltd.

Glazing contractors & Building Repairs
PVCU Windows - Doors & Conservatories

Detailed Quote (Trade)

Beesons of Boston Ltd
6 Nelson Way
Boston
Lincs

PE21 8TS
01205 362103
sales@beesonsofbostonltd.com

VAT No: **127988911** *Fensa No:* **13068**

Quote No: **7122**
Quote Date: **Wed / 14 Jul 2021**
Reference: **Q11167**
Printed: 06/10/2021 08:55:55


Rob Hartley
Supply Only
Ref: The Chequers

.

Frame No: 1
System: Deceuninck 70mm System
Style No: 61
Quantity: 2
Group: Casement 2800 Black-Brown/White
Cill: 150mm Cill Black-Brown/White
Drainage: Secret
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: GF Dining

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55** **L:55** **R:55** **B:55**



1765 x **1040**


Comments:

Glass & Extras:
440 x 225 - 4/20/4 Planitherm / Float + Argon | Super Spacer
545 x 930 - 4/20/4 Planitherm / Float + Argon | Super Spacer
440 x 225 - 4/20/4 Planitherm / Float + Argon | Super Spacer
440 x 485 - 4/20/4 Planitherm / Float + Argon | Super Spacer
440 x 485 - 4/20/4 Planitherm / Float + Argon | Super Spacer

Frame No: 2
System: Deceuninck 70mm System
Style No: 2202
Quantity: 1
Group: French Door 2800 OO Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Black Gasket
Handles: Chrome L/L Handle
Hinge: Black SFS Hinge [3]
Lock: Panic Door + Outside Access FD
Finish: Standard

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: Silver Threshold OO (FD)
Location: GF Dining

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:70** **L:70** **R:70** **B:20**



1825 x **2090**


Comments:

Glass & Extras:
673 x 1043 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
673 x 716 - Shiplap Cons Ver Panel Black/White
674 x 1043 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
674 x 716 - Shiplap Cons Ver Panel Black/White

Frame No: 3
System: Deceuninck 70mm System
Style No: 7
Quantity: 2
Group: Casement 2800 Black-Brown/White
Cill: 150mm Cill Black-Brown/White
Drainage: Secret
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Rear Elevation

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55** **L:55** **R:55** **B:55**



620 x **1040**

Comments:

Glass & Extras:
450 x 225 - 4/20/4 Planitherm / Float + Argon | Super Spacer
540 x 575 - 4/20/4 Planitherm / Float + Argon | Super Spacer

Beesons of Boston Ltd.

Glazing contractors & Building Repairs
PVCU Windows - Doors & Conservatories

Detailed Quote (Trade)

Beesons of Boston Ltd
6 Nelson Way
Boston
Lincs

PE21 8TS
01205 362103
sales@beesonsofbostonltd.com

VAT No: **127988911** *Fensa No:* **13068**

Quote No: **7122**
Quote Date: **Wed / 14 Jul 2021**
Reference: **Q11167**
Printed: 06/10/2021 08:55:55

Rob Hartley
Supply Only
Ref: The Chequers

.


Frame No: 4
System: Deceuninck 70mm System
Style No: 7
Quantity: 1
Group: Casement 2800 Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Upstairs Rear

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**

Comments:

Glass & Extras: 980 x 225 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte
1070 x 735 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte



1150 x 1170


Frame No: 5
System: Deceuninck 70mm System
Style No: 5
Quantity: 1
Group: Casement 2800 Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Upstairs Rear

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**

Comments:

Glass & Extras: 450 x 1000 - 4/20/4 Planitherm / Float + Argon | Super Spacer
490 x 1090 - 4/20/4 Planitherm / Float + Argon | Super Spacer



1150 x 1170


Frame No: 6
System: Deceuninck 70mm System
Style No: 2202
Quantity: 1
Group: French Door 2800 OO Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Black Gasket
Handles: Chrome L/L Handle
Hinge: Black SFS Hinge [3]
Lock: Panic Door + Outside Access FD
Finish: Standard

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: Silver Threshold OO (FD)
Location: Rear Doors

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:70 L:70 R:70 B:20**

Comments:

Glass & Extras: 651 x 978 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
651 x 716 - Shiplap Cons Ver Panel Black/White
651 x 978 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
651 x 716 - Shiplap Cons Ver Panel Black/White



1780 x 2025

Beesons of Boston Ltd.

Glazing contractors & Building Repairs
PVCU Windows - Doors & Conservatories

Detailed Quote (Trade)

Beesons of Boston Ltd
6 Nelson Way
Boston
Lincs

PE21 8TS
01205 362103
sales@beesonsofbostonltd.com

VAT No: **127988911** *Fensa No:* **13068**

Quote No: **7122**
Quote Date: **Wed / 14 Jul 2021**
Reference: **Q11167**
Printed: 06/10/2021 08:55:55


Rob Hartley
Supply Only
Ref: The Chequers

.

Frame No: 7
System: Deceuninck 70mm System
Style No: 1804
Quantity: 1
Group: Resi Door 2800 OO Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Black Gasket
Handles: Chrome L/L Handle
Hinge: Black SFS Hinge [3]
Lock: Panic Door + Outside Access RD
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: Silver Threshold OO (RD)
Location: Back Door

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:70 L:70 R:70 B:20**




985 x 2000

Glass & Extras: 711 x 953 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
711 x 716 - Shiplap Cons Ver Panel Black/White

Frame No: 8
System: Deceuninck 70mm System
Style No: 1802
Quantity: 1
Group: Resi Door 2800 OI Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Black Gasket
Handles: Chrome L/L Handle
Hinge: White SFS Hinge [3]
Lock: Standard
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: Silver Threshold OI (RD)
Location: Cellar Door

Frame Extenders:
T: 15mm Addon Black-Brc ***L:***
B: ***R:***
Outer: **T:70 L:70 R:70 B:20**



900 x 2000


Glass & Extras: 626 x 1734 - Shiplap Cons Ver Panel Black/White

---

Frame No: 9
System: Deceuninck 70mm System
Style No: 56
Quantity: 1
Group: Casement 2800 Black-Brown/White
Cill: 150mm Cill Black-Brown/White
Drainage: Secret
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Front Elevation

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**



1810 x 1260

Glass & Extras: 543 x 315 - 4/20/4 Planitherm / Float + Argon | Super Spacer
473 x 225 - 4/20/4 Planitherm / Float + Argon | Super Spacer
544 x 315 - 4/20/4 Planitherm / Float + Argon | Super Spacer
453 x 705 - 4/20/4 Planitherm / Float + Argon | Super Spacer
563 x 795 - 4/20/4 Planitherm / Float + Argon | Super Spacer
454 x 705 - 4/20/4 Planitherm / Float + Argon | Super Spacer

Beesons of Boston Ltd.

Glazing contractors & Building Repairs
PVCU Windows - Doors & Conservatories

Detailed Quote (Trade)

Beesons of Boston Ltd
6 Nelson Way
Boston
Lincs

PE21 8TS
01205 362103
sales@beesonsofbostonltd.com

VAT No: **127988911** *Fensa No:* **13068**

Quote No: **7122**
Quote Date: **Wed / 14 Jul 2021**
Reference: **Q11167**
Printed: 06/10/2021 08:55:55


Rob Hartley
Supply Only
Ref: The Chequers

.

Frame No: 10
System: Deceuninck 70mm System
Style No: 56
Quantity: 2
Group: Casement 2800 Black-Brown/White
Cill: 150mm Cill Black-Brown/White
Drainage: Secret
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Front/Side Elevation

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**



1810 x **1370**


Glass & Extras:
543 x 315 - 4/20/4 Planitherm / Float + Argon | Super Spacer
473 x 225 - 4/20/4 Planitherm / Float + Argon | Super Spacer
544 x 315 - 4/20/4 Planitherm / Float + Argon | Super Spacer
453 x 815 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
563 x 905 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer
454 x 815 - 4/20/4 Planitherm / Float Tgh + Argon | Super Spacer

---

Frame No: 11
System: Deceuninck 70mm System
Style No: 2
Quantity: 3
Group: Casement 2800 Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Toilets

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**



590 x **500**


Glass & Extras: 420 x 330 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte

---

Frame No: 12
System: Deceuninck 70mm System
Style No: 17
Quantity: 1
Group: Casement 2800 Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Toilet

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**



1805 x **500**

Glass & Extras:
542 x 420 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte
471 x 330 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte
542 x 420 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte

Beesons of Boston Ltd.

Glazing contractors & Building Repairs
PVCU Windows - Doors & Conservatories

Detailed Quote (Trade)

Beesons of Boston Ltd
6 Nelson Way
Boston
Lincs

PE21 8TS
01205 362103
sales@beesonsofbostonltd.com

VAT No: **127988911** *Fensa No:* **13068**

Quote No: **7122**
Quote Date: **Wed / 14 Jul 2021**
Reference: **Q11167**
Printed: 06/10/2021 08:55:55


Rob Hartley
Supply Only
Ref: The Chequers

.

Frame No: 13
System: Deceuninck 70mm System
Style No: 70
Quantity: 1
Group: Casement 2800 Black-Brown/White
Cill: None
Drainage: Face
Bead: Sculptured Bead
Gasket: Grey Gasket
Handles: White Handle (35mm Spindle)
Hinge: Standard
Lock: Shootbolt
Finish: Standard
Comments:

Reinforcing: Full Reinforcing
Night Vent: None
Letterbox: None
Threshold: None
Location: Toilet

Frame Extenders:
T: ***L:***
B: ***R:***
Outer: **T:55 L:55 R:55 B:55**



1190 x **500**

Glass & Extras: 445 x 330 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte
445 x 330 - 4/20/4 Planitherm / Patterned + Argon | Super Spacer | Stippolyte

This is where you can enter your own disclaimer / notes

Signed: _____ Name: _____ Date: _____

PVC Quotation

IF YOU MAKE ANY CHANGES TO THIS QUOTE IT WILL BE RE-QUOTED, IT WILL NOT BE ACCEPTED AS AN ORDER

Quote No: **Q312397**


Beesons Of Boston Ltd

Ref : Hartley

Required Date _____


Window No : 1
Material List : Deceuninck (2800) 70mm
Style No : 145
Quantity : 1
Group : Int Bead Sculp 2800 Casemnt Blk Brwn/W
Cill : 150mm Cill - Black/W
Drainage : Secret
Bead : 28mm Bead White
Gasket : Grey Gasketed Profile
Handles : White 35mm MK3 Handle
Weld Type : Standard (Grooved)
Special Instr :
Glass/Extras : 1 x 150mm Cill - Black/W
1 x 1120 x 225 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer
1 x 585 x 1235 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer
1 x 495 x 1145 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer

Main Hinge : Standard Hinges
Main Lock : Shootbolt Lock
Reinforcement : Full Reinforcement
Outer : H:55 L:55 R:55 C:55
Sash : 2885 74mm T Storm Sash
Location A : Frame 1
Location B :
Finish :
Weight :




Window No : 2
Material List : Deceuninck (2800) 70mm
Style No : 144
Quantity : 1
Group : Int Bead Sculp 2800 Casemnt Blk Brwn/W
Cill : 150mm Cill - Black/W
Drainage : Secret
Bead : 28mm Bead White
Gasket : Grey Gasketed Profile
Handles : White 35mm MK3 Handle
Weld Type : Standard (Grooved)
Special Instr :
Glass/Extras : 1 x 150mm Cill - Black/W
1 x 1120 x 225 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer
1 x 495 x 1145 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer
1 x 585 x 1235 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer

Main Hinge : Standard Hinges
Main Lock : Shootbolt Lock
Reinforcement : Full Reinforcement
Outer : H:55 L:55 R:55 C:55
Sash : 2885 74mm T Storm Sash
Location A : Frame 2
Location B :
Finish :
Weight :



Window No : 3
Material List : Deceuninck (2800) 70mm
Style No : 144
Quantity : 1
Group : Int Bead Sculp 2800 Casemnt Blk Brwn/W
Cill : 150mm Cill - Black/W
Drainage : Secret
Bead : 28mm Bead White
Gasket : Grey Gasketed Profile
Handles : White 35mm MK3 Handle
Weld Type : Standard (Grooved)
Special Instr :
Glass/Extras : 1 x 150mm Cill - Black/W
1 x 1060 x 225 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer
1 x 465 x 1145 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer
1 x 555 x 1235 - Planitherm+/4mm Tgh + Arg 20mm Black Super Spacer

Main Hinge : Standard Hinges
Main Lock : Shootbolt Lock
Reinforcement : Full Reinforcement
Outer : H:55 L:55 R:55 C:55
Sash : 2885 74mm T Storm Sash
Location A : Frame 3
Location B :
Finish :
Weight :



Quote Extras