General Notes:


1. Do not scale from the drawings, alter dimensions, components & assemblies on site prior to manufacture, construction, or supply.
2. Where no units are given for dimensions, whole numbers indicate millimetres (mm) & decimal numbers indicate metres (m).
3. All drawings are to be read together in conjunction with all relevant Architects and other Engineers drawings and specifications. Any discrepancies are to be reported to WE Consulting Engineers for review before ordering materials, commencing fabrication, or proceeding on site.
4. All materials, construction and details shown or implied on this drawing must comply with current Eurocode or British Standard Codes of Practice, Planning / Building Regulations, H&SE legislation and client's particular specifications.
5. All proprietary items and materials are to be used and installed in accordance with manufactures specifications and recommendations.


NOT FOR CONSTRUCTION

TRENCH BACKFILL

Trafficked Areas
Class 1, 2 or 3 general fill material complying with SHW Series 600 Table 6/1. Spreading and compaction to be carried out in even layers not exceeding 225mm unconsolidated thickness

Verge/Pedestrian Areas
Selected backfill material, free from large stones, rocks, tree roots, frozen soil, clay lumps > 75 mm or similar large objects.





SLEEVED JOINT

SOCKET JOINT

CLASS Z PIPE BEDDING

Concrete surround, rigid and flexible pipes

As shown on layout:



REV.	DESCRIPTION	DATE
P01	For Comment	05/24

DRAWING TITLE: Drainage Detail D02

SCALE	NTS @ A4	DATE	05/24
DRAWING No.	WECE-A4-C-111	REV.	P01
STATUS	Preliminary		
DRAWN	ST	CHECKED	ST

WE. CONSULTING ENGINEERS
WE Consulting Engineers Limited
Black Barn,
Fen Road,
Guyhirn,
PE13 4AA
t: 01945 479 689
e: mail@we-engineer.co.uk

© WE Consulting Engineers