SALLY WALTHAM
BA (Hons) F.C.I.H.
Director of Housing & Planning Services

Housing and Planning
Services Department,
Council Offices,
Priory Road,
Spalding,
Lincolnshire. PE11 2XE

Telephone: (01775) 761161
Fax: (01775) 710772

SOUTH HOLLAND DISTRICT COUNCIL
HOUSING & PLANNING SERVICES DEPARTMENT

5 Development shall not begin until the results of percolation tests (under BS:6297:1983) have been submitted to and approved in writing by the Local Planning Authority to demonstrate that the ground conditions, together with the land area, are suitable to accommodate septic tank drainage. In the event that this cannot be proven a package treatment plant shall be installed in accordance with details to be submitted to and approved in writing by the Local Planning Authority. The dwelling hereby approved shall not be occupied until the drainage works have been completed in accordance with the approved details.

Reason: To ensure the provision of satisfactory foul drainage.

The determined plans are:-
Dwg. No.s 040/00/01, 02 and 04 received 21 August 2000.

The permitted development will require the provision of a new vehicular access crossing. Applicants are requested to contact the Local Highway Authority's Divisional Office at Pode Hole - (Tel: 01775 769091) prior to the commencement of any works within the public highway.

Director of Housing and Planning Services
13 OCT 2000

H23/1024/00

16/3/10

NB. Termnd date 16/10

16/10/00 LMS.